

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

March 31, 2025

[REDACTED], PRESIDENT  
NASUN INC  
1575 GRAND BOULEVARD  
MONESSEN,, PA, 15062

RE: HALLSWORTH HOUSE  
1575 GRAND BOULEVARD  
MONESSEN, PA, 15062  
LICENSE/COC#: 42897

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing review on 02/19/2025 of the above facility, we have determined that your submitted plan of correction is fully implemented. Continued compliance must be maintained.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: *HALLSWORTH HOUSE* License #: *42897* License Expiration: *10/26/2025*  
 Address: *1575 GRAND BOULEVARD, MONESSEN, PA 15062*  
 County: *WESTMORELAND* Region: *WESTERN*

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: *NASUN INC*  
 Address: *1575 GRAND BOULEVARD, MONESSEN,, PA, 15062*  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: *C-2 LP* Date: *07/10/2020* Issued By: *L&I*

**Staffing Hours**

Resident Support Staff: *0* Total Daily Staff: *59* Waking Staff: *44*

**Inspection Information**

Type: *Full* Notice: *Unannounced* BHA Docket #:  
 Reason: *Renewal* Exit Conference Date: *02/19/2025*

**Inspection Dates and Department Representative**

*02/19/2025 - On-Site:* [REDACTED]

**Resident Demographic Data as of Inspection Dates**

**General Information**  
 License Capacity: *60* Residents Served: *37*

**Secured Dementia Care Unit**  
 In Home: *No* Area: Capacity: Residents Served:

**Hospice**  
 Current Residents: *9*

**Number of Residents Who:**  
 Receive Supplemental Security Income: *1* Are 60 Years of Age or Older: *37*  
 Diagnosed with Mental Illness: *5* Diagnosed with Intellectual Disability: *1*  
 Have Mobility Need: *22* Have Physical Disability: *2*

**Inspections / Reviews**

**02/19/2025 - Full**  
 Lead Inspector: [REDACTED] Follow-Up Type: *POC Submission* Follow-Up Date: *03/10/2025*

**03/04/2025 - POC Submission**  
 Submitted By: [REDACTED] Date Submitted: *03/24/2025*  
 Reviewer: [REDACTED] Follow-Up Type: *Document Submission* Follow-Up Date: *03/25/2025*

Inspections / Reviews *(continued)*

03/31/2025 - Document Submission

Submitted By: [REDACTED]

Date Submitted: 03/24/2025

Reviewer: [REDACTED]

Follow-Up Type: *Not Required*

3c - Post Current License

1. Requirements

2600.

3.c. The personal care home shall post the current license, a copy of the current license inspection summary issued by the Department and a copy of this chapter in a conspicuous and public place in the personal care home.

Description of Violation

A copy of 55 Pa. Code Chapter 2600 was not posted in a conspicuous and public place in the home.

Plan of Correction

Accept ( ) - 03/04/2025

1. On the date of inspection, we noted that our 55 Pa. Code Chapter 2600 was missing from the entryway. An additional copy was brought to the foyer entryway on the date of the inspection and was posted.

2. Moving forward, when the facility grounds director performs monthly fire drills, ( ) will check that the 55 Pa. Code Chapter 2600 is still posted and will address as needed.

Licensee's Proposed Overall Completion Date: 03/28/2025

Implemented ( ) - 03/31/2025

185a - Implement Storage Procedures

2. Requirements

2600.

185.a. The home shall develop and implement procedures for the safe storage, access, security, distribution and use of medications and medical equipment by trained staff persons.

Description of Violation

Resident #1's glucometer was not set to the correct date or time.

Plan of Correction

Accept ( ) - 03/04/2025

When changing batteries on the glucometer devices, the date/time must be put into the device when they are changed, otherwise all readings thereafter will be incorrect.

All med techs were educated on how to set the date and time on the glucometer during routine battery changes.

During bimonthly glucometer checks, the resident care coordinator will ensure the date and times are correct and will reeducate and/or address inaccuracies immediately if they are found.

Licensee's Proposed Overall Completion Date: 03/28/2025

Implemented ( ) - 03/31/2025