

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 3, 2025

[REDACTED]
HILLSIDE MANOR PERSONAL CARE HOME INC
[REDACTED]

RE: HILLSIDE MANOR PERSONAL CARE
HOME
177 OLIVER ROAD
UNIONTOWN, PA, 15401
LICENSE/COC#: 46799

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 02/24/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *HILLSIDE MANOR PERSONAL CARE HOME* License #: *46799* License Expiration: *04/16/2025*
 Address: *177 OLIVER ROAD, UNIONTOWN, PA 15401*
 County: *FAYETTE* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *HILLSIDE MANOR PERSONAL CARE HOME INC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *C-2 LP* Date: *06/17/1996* Issued By: *Labor and Industry*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *48* Waking Staff: *36*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *02/24/2025*

Inspection Dates and Department Representative

02/24/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *76* Residents Served: *36*
 Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:
 Hospice
 Current Residents: *11*
 Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *36*
 Diagnosed with Mental Illness: *1* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *12* Have Physical Disability: *0*

Inspections / Reviews

02/24/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND