

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

March 25, 2025

[REDACTED]
COUNTRY MEADOWS OF WYOMISSING LLC
[REDACTED]

RE: COUNTRY MEADOWS OF
WYOMISSING II
1802 TULPEHOCKEN ROAD
WYOMISSING, PA, 19610
LICENSE/COC#: 20504

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/05/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: COUNTRY MEADOWS OF WYOMISSING II **License #:** 20504 **License Expiration:** 03/26/2026

Address: 1802 TULPEHOCKEN ROAD, WYOMISSING, PA 19610

County: BERKS **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: COUNTRY MEADOWS OF WYOMISSING LLC

Address: [REDACTED]

Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP **Date:** 03/06/1998 **Issued By:** L & I

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 161 **Waking Staff:** 121

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**

Reason: Incident **Exit Conference Date:** 03/05/2025

Inspection Dates and Department Representative

03/05/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 166 **Residents Served:** 101

Secured Dementia Care Unit

In Home: Yes **Area:** unit **Capacity:** 60 **Residents Served:** 38

Hospice

Current Residents: 6

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 101

Diagnosed with Mental Illness: 0 **Diagnosed with Intellectual Disability:** 0

Have Mobility Need: 60 **Have Physical Disability:** 0

Inspections / Reviews

03/05/2025 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND