

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

March 28, 2025

[REDACTED]  
COMMUNITY SERVICES GROUP INC  
[REDACTED]  
[REDACTED]

RE: COMMUNITY SERVICES GROUP  
532 W. SAYLOR STREET  
ATLAS, PA, 17851  
LICENSE/COC#: 20813

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/05/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: *COMMUNITY SERVICES GROUP* License #: *20813* License Expiration: *07/18/2025*  
 Address: *532 W. SAYLOR STREET, ATLAS, PA 17851*  
 County: *NORTHUMBERLAND* Region: *NORTHEAST*

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: *COMMUNITY SERVICES GROUP INC*  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

**Staffing Hours**

Resident Support Staff: *0* Total Daily Staff: *21* Waking Staff: *16*

**Inspection Information**

Type: *Partial* Notice: *Unannounced* BHA Docket #:  
 Reason: *Incident* Exit Conference Date: *03/05/2025*

**Inspection Dates and Department Representative**

03/05/2025 - Off-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: *22* Residents Served: *21*

Secured Dementia Care Unit  
 In Home: *No* Area: Capacity: Residents Served:

Hospice  
 Current Residents: *0*

Number of Residents Who:  
 Receive Supplemental Security Income: *18* Are 60 Years of Age or Older: *8*  
 Diagnosed with Mental Illness: *21* Diagnosed with Intellectual Disability: *1*  
 Have Mobility Need: *0* Have Physical Disability: *0*

**Inspections / Reviews**

03/05/2025 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND