

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 7, 2025

[REDACTED]
ABOVE AND BEYOND AT THE KNIGHTS LLC
[REDACTED]

RE: ABOVE & BEYOND AT THE KNIGHTS
1545 GREENLEAF STREET
ALLENTOWN, PA, 18102
LICENSE/COC#: 22647

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/05/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ABOVE & BEYOND AT THE KNIGHTS **License #:** 22647 **License Expiration:** 12/13/2025
Address: 1545 GREENLEAF STREET, ALLENTOWN, PA 18102
County: LEHIGH **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: ABOVE AND BEYOND AT THE KNIGHTS LLC
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP **Date:** 04/12/1989 **Issued By:** L&I

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 114 **Waking Staff:** 86

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint, Incident **Exit Conference Date:** 03/05/2025

Inspection Dates and Department Representative

03/05/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 150 **Residents Served:** 84

Secured Dementia Care Unit

In Home: Yes **Area:** n/a **Capacity:** 36 **Residents Served:** 24

Hospice

Current Residents: 21

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 82
Diagnosed with Mental Illness: 6 **Diagnosed with Intellectual Disability:** 4
Have Mobility Need: 30 **Have Physical Disability:** 0

Inspections / Reviews

03/05/2025 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND