

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

March 20, 2025

[REDACTED]
THE ALLIANCE HOME OF CARLISLE, PA, INC.
[REDACTED]

RE: CHAPEL POINTE AT CARLISLE
770 SOUTH HANOVER STREET
CARLISLE, PA, 17013
LICENSE/COC#: 34337

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/11/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CHAPEL POINTE AT CARLISLE License #: 34337 License Expiration: 06/03/2025
 Address: 770 SOUTH HANOVER STREET, CARLISLE, PA 17013
 County: CUMBERLAND Region: CENTRAL

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: THE ALLIANCE HOME OF CARLISLE, PA, INC.
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: I-1 Date: 09/12/2014 Issued By: Borough of Carlisle
 Type: I-2 Date: 02/28/2018 Issued By: Borough of Carlisle

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 54 Waking Staff: 41

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Incident Exit Conference Date: 03/11/2025

Inspection Dates and Department Representative

03/11/2025 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 61 Residents Served: 43

Secured Dementia Care Unit
 In Home: Yes Area: Garden View Capacity: 12 Residents Served: 11

Hospice
 Current Residents: 1

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 43
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 11 Have Physical Disability: 0

Inspections / Reviews

03/11/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND