

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

April 2, 2025

[REDACTED]
JEWISH ASSOCIATION ON AGING
[REDACTED]
[REDACTED]

RE: HARRY & JEANNETTE WEINBERG
TERRACE
5757 BARTLETT STREET
PITTSBURGH, PA, 15217
LICENSE/COC#: 42981

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/18/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: HARRY & JEANNETTE WEINBERG TERRACE License #: 42981 License Expiration: 11/26/2025
 Address: 5757 BARTLETT STREET, PITTSBURGH, PA 15217
 County: ALLEGHENY Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: JEWISH ASSOCIATION ON AGING
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: Other Date: 05/09/1987 Issued By: City of Pittsburgh

Staffing Hours

Resident Support Staff: Total Daily Staff: 71 Waking Staff: 53

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 03/18/2025

Inspection Dates and Department Representative

03/18/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 115 Residents Served: 56
 Secured Dementia Care Unit
 In Home: No Area: Capacity: Residents Served:
 Hospice
 Current Residents: 4
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 56
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 15 Have Physical Disability: 0

Inspections / Reviews

03/18/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND