

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

June 4, 2025

[REDACTED]
BETHLEHEM MANOR MEMORY CARE, LLC
[REDACTED]

RE: BETHELEHM MANOR MEMORY
CARE
316 E. MARKET ST.
BETHLEHEM, PA, 18018
LICENSE/COC#: 23244

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/19/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *BETHELEHM MANOR MEMORY CARE* License #: *23244* License Expiration: *05/29/2026*
Address: *316 E. MARKET ST., BETHLEHEM, PA 18018*
County: *NORTHAMPTON* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *BETHLEHEM MANOR MEMORY CARE, LLC*
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *0* Waking Staff: *0*

Inspection Information

Type: *Partial* Notice: *Announced* BHA Docket #:
Reason: *Interim* Exit Conference Date: *05/14/2025*

Inspection Dates and Department Representative

03/19/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity:	<i>60</i>	Residents Served:	<i>0</i>
Secured Dementia Care Unit			
In Home:	<i>Yes</i>	Area:	<i>n/a</i>
Capacity:	<i>30</i>	Residents Served:	<i>0</i>
Hospice			
Current Residents:	<i>0</i>		
Number of Residents Who:			
Receive Supplemental Security Income:	<i>0</i>	Are 60 Years of Age or Older:	<i>0</i>
Diagnosed with Mental Illness:	<i>0</i>	Diagnosed with Intellectual Disability:	<i>0</i>
Have Mobility Need:	<i>0</i>	Have Physical Disability:	<i>0</i>

Inspections / Reviews

03/19/2025 Partial
Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND