

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY PUBLIC

April 9, 2025

[REDACTED]  
COLUMBIA COTTAGE WYOMISSING LLC  
[REDACTED]

RE: COLUMBIA COTTAGE WYOMISSING,  
LLC  
3121 STATE HILL ROAD  
WYOMISSING, PA, 19610  
LICENSE/COC#: 22464

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/26/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: COLUMBIA COTTAGE WYOMISSING, LLC License #: 22464 License Expiration: 05/15/2026  
 Address: 3121 STATE HILL ROAD, WYOMISSING, PA 19610  
 County: BERKS Region: NORTHEAST

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: COLUMBIA COTTAGE WYOMISSING LLC  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: C-2 LP Date: 10/29/1996 Issued By: L&I

**Staffing Hours**

Resident Support Staff: 0 Total Daily Staff: 62 Waking Staff: 47

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Incident Exit Conference Date: 03/26/2025

**Inspection Dates and Department Representative**

03/26/2025 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 50 Residents Served: 36  
 Special Care Unit  
 In Home: No Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: 1  
 Number of Residents Who:  
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 36  
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 26 Have Physical Disability: 0

**Inspections / Reviews**

03/26/2025 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND