

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

April 17, 2025

[REDACTED]
INSPIRIT PALMERTON OPERATOR LLC
[REDACTED]

RE: THE PALMERTON, AN INSPIRIT
SENIOR LIVING COMMUNITY
71 PRINCETON AVENUE
PALMERTON, PA, 18071
LICENSE/COC#: 22680

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/03/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: THE PALMERTON, AN INSPIRIT SENIOR LIVING COMMUNITY License #: 22680 License Expiration: 01/05/2026
 Address: 71 PRINCETON AVENUE, PALMERTON, PA 18071
 County: CARBON Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: INSPIRIT PALMERTON OPERATOR LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: I-2 Date: 05/23/2016 Issued By: Palmerton Twp

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 56 Waking Staff: 42

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 04/03/2025

Inspection Dates and Department Representative

04/03/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 71 Residents Served: 48

Secured Dementia Care Unit
 In Home: Yes Area: 1dy floor Capacity: 15 Residents Served: 6

Hospice
 Current Residents: 2

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 47
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 8 Have Physical Disability: 0

Inspections / Reviews

04/03/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND