

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

April 28, 2025

[REDACTED]
SACRED HEART ASSISTED LIVING BY SAUCON CREEK LLC
[REDACTED]
[REDACTED]

RE: SACRED HEART SENIOR LIVING BY
SAUCON CREEK II
4801 SAUCON CREEK ROAD
CENTER VALLEY, PA, 18034
LICENSE/COC#: 22080

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/07/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: SACRED HEART SENIOR LIVING BY SAUCON CREEK II **License #:** 22080 **License Expiration:** 08/03/2025
Address: 4801 SAUCON CREEK ROAD, CENTER VALLEY, PA 18034
County: LEHIGH **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: SACRED HEART ASSISTED LIVING BY SAUCON CREEK LLC
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 64 **Waking Staff:** 48

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint **Exit Conference Date:** 04/07/2025

Inspection Dates and Department Representative

04/07/2025 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 36 **Residents Served:** 48

Secured Dementia Care Unit

In Home: No **Area:** **Capacity:** **Residents Served:**

Hospice

Current Residents: 2

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 44
Diagnosed with Mental Illness: 2 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 16 **Have Physical Disability:** 0

Inspections / Reviews

04/07/2025 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND