

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

April 17, 2025

[REDACTED]
TITHONUS MT. LEBANON LP

[REDACTED]
C/O INTEGRACARE CORP
[REDACTED]

RE: THE PINES OF MT. LEBANON
1537 WASHINGTON ROAD
PITTSBURGH, PA, 15228
LICENSE/COC#: 43361

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/16/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: THE PINES OF MT. LEBANON License #: 43361 License Expiration: 09/18/2025
 Address: 1537 WASHINGTON ROAD, PITTSBURGH, PA 15228
 County: ALLEGHENY Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: TITHONUS MT. LEBANON LP
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 06/05/1990 Issued By: Labor & Industry

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 99 Waking Staff: 74

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 04/16/2025

Inspection Dates and Department Representative

04/16/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 112 Residents Served: 66
 Secured Dementia Care Unit
 In Home: Yes Area: Memory Care (1st Floor) Capacity: 18 Residents Served: 17
 Hospice
 Current Residents: 13
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 66
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 33 Have Physical Disability: 1

Inspections / Reviews

04/16/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND