

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

April 28, 2025

[REDACTED]
ST. MARY'S VILLA NURSING HOME
[REDACTED]

RE: ST. MARY'S VILLA RESIDENCE
ONE PIONEER PLACE
MOSCOW, PA, 18444
LICENSE/COC#: 20390

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/17/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ST. MARY'S VILLA RESIDENCE **License #:** 20390 **License Expiration:** 03/14/2026
Address: ONE PIONEER PLACE, MOSCOW, PA 18444
County: LACKAWANNA **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: ST. MARY'S VILLA NURSING HOME
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP **Date:** 03/02/1998 **Issued By:** Dept. L&I

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 38 **Waking Staff:** 29

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint **Exit Conference Date:** 04/17/2025

Inspection Dates and Department Representative

04/17/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 68 **Residents Served:** 37

Secured Dementia Care Unit

In Home: No **Area:** **Capacity:** **Residents Served:**

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 0
Diagnosed with Mental Illness: 0 **Diagnosed with Intellectual Disability:** 1
Have Mobility Need: 1 **Have Physical Disability:** 0

Inspections / Reviews

04/17/2025 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND