

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

April 22, 2025

[REDACTED]
THE VILLAGE AT MORRISONS COVE
[REDACTED]

RE: THE VILLAGE AT MORRISONS COVE
425 SOUTH MARKET STREET
MARTINSBURG, PA, 16662
LICENSE/COC#: 30389

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/17/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: THE VILLAGE AT MORRISONS COVE License #: 30389 License Expiration: 05/18/2025
Address: 425 SOUTH MARKET STREET, MARTINSBURG, PA 16662
County: BLAIR Region: CENTRAL

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: THE VILLAGE AT MORRISONS COVE
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 01/23/1993 Issued By: Department of Labor & Industry

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 26 Waking Staff: 20

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint Exit Conference Date: 04/24/2025

Inspection Dates and Department Representative

04/17/2025 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity:	40	Residents Served:	25
Secured Dementia Care Unit			
In Home:	No	Area:	Capacity:
Residents Served:			
Hospice			
Current Residents: 3			
Number of Residents Who:			
Receive Supplemental Security Income:	29	Are 60 Years of Age or Older:	24
Diagnosed with Mental Illness:	15	Diagnosed with Intellectual Disability:	6
Have Mobility Need:	1	Have Physical Disability:	0

Inspections / Reviews

04/17/2025 Partial
Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND