

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY PUBLIC

May 12, 2025

[REDACTED]  
THE ATRIUM OF ALLENTOWN LLC  
[REDACTED]  
[REDACTED]

RE: THE ATRIUM OF ALLENTOWN  
5767 CETRONIA ROAD  
ALLENTOWN, PA, 18106  
LICENSE/COC#: 23050

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/23/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: THE ATRIUM OF ALLENTOWN License #: 23050 License Expiration: 10/11/2025  
 Address: 5767 CETRONIA ROAD, ALLENTOWN, PA 18106  
 County: LEHIGH Region: NORTHEAST

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: THE ATRIUM OF ALLENTOWN LLC  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: I-1 Date: 10/02/2020 Issued By: Upper Macungie Township

**Staffing Hours**

Resident Support Staff: Total Daily Staff: 102 Waking Staff: 77

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Complaint Exit Conference Date: 04/23/2025

**Inspection Dates and Department Representative**

04/23/2025 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 103 Residents Served: 75  
 Secured Dementia Care Unit  
 In Home: Yes Area: SDCU Capacity: 30 Residents Served: 22  
 Hospice  
 Current Residents: 10  
 Number of Residents Who:  
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 97  
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 27 Have Physical Disability: 0

**Inspections / Reviews**

04/23/2025 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND