

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

May 20, 2025

[REDACTED]  
INDIANA AL, LLC  
[REDACTED]  
[REDACTED]

RE: THE ADDISON OF MOOREHEAD  
PLACE  
116 MADISON CIRCLE  
INDIANA, PA, 15701  
LICENSE/COC#: 45509

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/24/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: THE ADDISON OF MOOREHEAD PLACE License #: 45509 License Expiration: 05/06/2026  
 Address: 116 MADISON CIRCLE, INDIANA, PA 15701  
 County: INDIANA Region: WESTERN

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: INDIANA AL, LLC  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: C-2 LP Date: 10/16/1997 Issued By: L&I

**Staffing Hours**

Resident Support Staff: 0 Total Daily Staff: 43 Waking Staff: 32

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Incident Exit Conference Date: 04/24/2025

**Inspection Dates and Department Representative**

04/24/2025 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 47 Residents Served: 38  
 Secured Dementia Care Unit  
 In Home: No Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: 4  
 Number of Residents Who:  
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 38  
 Diagnosed with Mental Illness: 6 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 5 Have Physical Disability: 0

**Inspections / Reviews**

04/24/2025 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND