

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY PUBLIC

June 10, 2025

[REDACTED]  
MARIA HALL, INC.  
[REDACTED]

RE: MARIA HALL  
190 MARIA HALL DR., 3RD FLOOR  
DANVILLE, PA, 17821  
LICENSE/COC#: 21521

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/15/2025, 06/02/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: MARIA HALL License #: 21521 License Expiration: 11/08/2025  
 Address: 190 MARIA HALL DR., 3RD FLOOR, DANVILLE, PA 17821  
 County: MONTOUR Region: NORTHEAST

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: MARIA HALL, INC.  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: C-2 LP Date: 03/26/1998 Issued By: PA Dept. L&I

**Staffing Hours**

Resident Support Staff: 14 Total Daily Staff: 29 Waking Staff: 22

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Complaint Exit Conference Date: 06/02/2025

**Inspection Dates and Department Representative**

05/15/2025 - On-Site: [REDACTED]  
 06/02/2025 - Off-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 36 Residents Served: 14  
 Secured Dementia Care Unit  
 In Home: No Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: 1  
 Number of Residents Who:  
 Receive Supplemental Security Income: 14 Are 60 Years of Age or Older: 14  
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 1 Have Physical Disability: 0

**Inspections / Reviews**

05/15/2025 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND