

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 29, 2025

[REDACTED]
JUNIPER VILLAGE AT FOREST HILLS LLC
[REDACTED]

RE: JUNIPER VILLAGE AT FOREST HILLS
107 FALL RUN ROAD
PITTSBURGH, PA, 15221
LICENSE/COC#: 43378

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/15/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: JUNIPER VILLAGE AT FOREST HILLS License #: 43378 License Expiration: 09/19/2025
 Address: 107 FALL RUN ROAD, PITTSBURGH, PA 15221
 County: ALLEGHENY Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: JUNIPER VILLAGE AT FOREST HILLS LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 02/06/1999 Issued By: Labor & Industry

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 94 Waking Staff: 71

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 05/15/2025

Inspection Dates and Department Representative

05/15/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 100 Residents Served: 66
 Secured Dementia Care Unit
 In Home: No Area: Capacity: Residents Served:
 Hospice
 Current Residents: 16
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 66
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 28 Have Physical Disability: 0

Inspections / Reviews

05/15/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND