

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

June 5, 2025

[REDACTED]
LAFAYETTE MANOR INC LMI
[REDACTED]
[REDACTED]

RE: BEECHWOOD COURT AT LAFAYETTE
MANOR
145 LAFAYETTE MANOR ROAD
UNIONTOWN, PA, 15401
LICENSE/COC#: 40961

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/19/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: BEECHWOOD COURT AT LAFAYETTE MANOR **License #:** 40961 **License Expiration:** 05/16/2026
Address: 145 LAFAYETTE MANOR ROAD, UNIONTOWN, PA 15401
County: FAYETTE **Region:** WESTERN

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: LAFAYETTE MANOR INC LMI
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP **Date:** 04/27/2000 **Issued By:** Labor and Industry

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 68 **Waking Staff:** 51

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint, Incident **Exit Conference Date:** 05/29/2025

Inspection Dates and Department Representative

05/19/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 64	Residents Served: 50		
Secured Dementia Care Unit			
In Home: Yes	Area: first year	Capacity: 23	Residents Served: 15
Hospice			
Current Residents: 11			
Number of Residents Who:			
Receive Supplemental Security Income: 0	Are 60 Years of Age or Older: 50		
Diagnosed with Mental Illness: 1	Diagnosed with Intellectual Disability: 0		
Have Mobility Need: 18	Have Physical Disability: 0		

Inspections / Reviews

05/19/2025 Partial
Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND