

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

June 3, 2025

[REDACTED]  
ROSALIE J DAPICE  
[REDACTED]

RE: HENDERSON HOUSE  
P.O.B. 6363,528-30 PRESSLEY ST  
PITTSBURGH, PA, 15212  
LICENSE/COC#: 43095

[REDACTED],  
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 05/30/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: HENDERSON HOUSE License #: 43095 License Expiration: 03/10/2025  
 Address: P.O.B. 6363,528 30 PRESSLEY ST, PITTSBURGH, PA 15212  
 County: ALLEGHENY Region: WESTERN

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: ROSALIE J DAPICE  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: Other Date: 12/29/1992 Issued By: City of Pittsburgh

**Staffing Hours**

Resident Support Staff: 0 Total Daily Staff: 20 Waking Staff: 15

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Complaint Exit Conference Date: 05/30/2025

**Inspection Dates and Department Representative**

05/30/2025 On Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 25 Residents Served: 20  
 Secured Dementia Care Unit  
 In Home: No Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: 0  
 Number of Residents Who:  
 Receive Supplemental Security Income: 12 Are 60 Years of Age or Older: 19  
 Diagnosed with Mental Illness: 20 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 0 Have Physical Disability: 0

**Inspections / Reviews**

05/30/2025 - Partial  
 Lead Inspector: [REDACTED] Follow Up Type: Not Required

NO DEFICIENCIES FOUND