

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

July 1, 2025

[REDACTED]
PREMIER OAKWOOD TERRACE OPERATING LLC
[REDACTED]

RE: OAKWOOD TERRACE
400 GLEASON DRIVE
MOOSIC, PA, 18507
LICENSE/COC#: 22661

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 06/10/2025, 06/11/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: OAKWOOD TERRACE License #: 22661 License Expiration: 11/20/2025
 Address: 400 GLEASON DRIVE, MOOSIC, PA 18507
 County: LACKAWANNA Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: PREMIER OAKWOOD TERRACE OPERATING LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 07/02/1998 Issued By: L & I

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 67 Waking Staff: 50

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Incident Exit Conference Date: 06/10/2025

Inspection Dates and Department Representative

06/10/2025 - On-Site: [REDACTED]
 06/11/2025 - Off-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 58 Residents Served: 45

Secured Dementia Care Unit
 In Home: Yes Area: n/a Capacity: 13 Residents Served: 11

Hospice
 Current Residents: 0

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 45
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 22 Have Physical Disability: 0

Inspections / Reviews

06/10/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND