

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

July 11, 2025

[REDACTED]
MERCY LIFE CENTER CORPORATION

[REDACTED]
ATTN: LICENSING/COMPLIANCE
[REDACTED]

RE: MERCY BEHAVIORAL HEALTH -
MUNHALL MANOR
2514 MAIN STREET
MUNHALL, PA, 15120
LICENSE/COC#: 43473

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/09/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: MERCY BEHAVIORAL HEALTH - MUNHALL MANOR **License #:** 43473 **License Expiration:** 07/06/2026
Address: 2514 MAIN STREET, MUNHALL, PA 15120
County: ALLEGHENY **Region:** WESTERN

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: MERCY LIFE CENTER CORPORATION
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: R-4 **Date:** 05/15/2008 **Issued By:** Munhall Borough

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 7 **Waking Staff:** 5

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Monitoring, Interim **Exit Conference Date:** 07/09/2025

Inspection Dates and Department Representative

07/09/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
License Capacity: 16 **Residents Served:** 7
Secured Dementia Care Unit
In Home: No **Area:** **Capacity:** **Residents Served:**
Hospice
Current Residents: 0
Number of Residents Who:
Receive Supplemental Security Income: 7 **Are 60 Years of Age or Older:** 6
Diagnosed with Mental Illness: 7 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 0 **Have Physical Disability:** 0

Inspections / Reviews

07/09/2025 Partial
Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND