

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

July 24, 2025

[REDACTED]
HAVERILLA PERSONAL CARE HOME INC
[REDACTED]

RE: HAVERILLA PERSONAL CARE HOME
775 STONETOWN ROAD
ROSSITER, PA, 15772
LICENSE/COC#: 42793

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 07/10/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *HAVERRILLA PERSONAL CARE HOME* License #: *42793* License Expiration: *06/09/2026*
 Address: *775 STONETOWN ROAD, ROSSITER, PA 15772*
 County: *INDIANA* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *HAVERRILLA PERSONAL CARE HOME INC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *Other* Date: *07/28/1997* Issued By: *Dept L & I*

Staffing Hours

Resident Support Staff: Total Daily Staff: *22* Waking Staff: *17*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *07/10/2025*

Inspection Dates and Department Representative

07/10/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *24* Residents Served: *22*
 Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:
 Hospice
 Current Residents: *1*
 Number of Residents Who:
 Receive Supplemental Security Income: *19* Are 60 Years of Age or Older: *17*
 Diagnosed with Mental Illness: *22* Diagnosed with Intellectual Disability: *4*
 Have Mobility Need: *0* Have Physical Disability: *1*

Inspections / Reviews

07/10/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND