

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

August 27, 2025

[REDACTED]
MOUNT TREXLER MANOR CORPORATION
[REDACTED]

RE: MOUNT TREXLER MANOR
5201 ST. JOSEPH RD, PO BOX 1001
LIMEPORT, PA, 18060
LICENSE/COC#: 21663

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 08/12/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: MOUNT TREXLER MANOR **License #:** 21663 **License Expiration:** 07/02/2026
Address: 5201 ST. JOSEPH RD, PO BOX 1001, LIMEPORT, PA 18060
County: LEHIGH **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: MOUNT TREXLER MANOR CORPORATION
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP **Date:** 06/22/1999 **Issued By:** Dept. L&I

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 39 **Waking Staff:** 29

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Incident **Exit Conference Date:** 08/12/2025

Inspection Dates and Department Representative

08/12/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 74 **Residents Served:** 39

Secured Dementia Care Unit

In Home: No **Area:** **Capacity:** **Residents Served:**

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 15
Diagnosed with Mental Illness: 39 **Diagnosed with Intellectual Disability:** 6
Have Mobility Need: 0 **Have Physical Disability:** 0

Inspections / Reviews

08/12/2025 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND