

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

October 28, 2025

[REDACTED]  
JUNIPER VILLAGE AT FOREST HILLS LLC  
[REDACTED]

RE: JUNIPER VILLAGE AT FOREST HILLS  
107 FALL RUN ROAD  
PITTSBURGH, PA, 15221  
LICENSE/COC#: 43378

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/02/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: JUNIPER VILLAGE AT FOREST HILLS License #: 43378 License Expiration: 09/19/2026  
 Address: 107 FALL RUN ROAD, PITTSBURGH, PA 15221  
 County: ALLEGHENY Region: WESTERN

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: JUNIPER VILLAGE AT FOREST HILLS LLC  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: C-2 LP Date: 02/06/1999 Issued By: Labor & Industry

**Staffing Hours**

Resident Support Staff: 0 Total Daily Staff: 97 Waking Staff: 73

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Complaint Exit Conference Date: 10/02/2025

**Inspection Dates and Department Representative**

10/02/2025 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 100 Residents Served: 67  
 Secured Dementia Care Unit  
 In Home: No Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: 15  
 Number of Residents Who:  
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 67  
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 30 Have Physical Disability: 0

**Inspections / Reviews**

10/02/2025 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND