

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

November 4, 2025

[REDACTED]
PROVIDENCE PLACE OF POTTSVILLE ASSOCIATES
[REDACTED]

RE: PROVIDENCE PLACE OF POTTSVILLE
2200 FIRST AVENUE
POTTSVILLE, PA, 17901
LICENSE/COC#: 20397

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/15/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: PROVIDENCE PLACE OF POTTSVILLE **License #:** 20397 **License Expiration:** 12/05/2025
Address: 2200 FIRST AVENUE, POTTSVILLE, PA 17901
County: SCHUYLKILL **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: PROVIDENCE PLACE OF POTTSVILLE ASSOCIATES
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: I-2 **Date:** 12/14/2013 **Issued By:** DLI

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 232 **Waking Staff:** 174

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Incident **Exit Conference Date:** 10/15/2025

Inspection Dates and Department Representative

10/15/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 192 **Residents Served:** 158

Secured Dementia Care Unit

In Home: Yes **Area:** SDCU **Capacity:** 54 **Residents Served:** 45

Hospice

Current Residents: 16

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 158
Diagnosed with Mental Illness: 0 **Diagnosed with Intellectual Disability:** 1
Have Mobility Need: 74 **Have Physical Disability:** 0

Inspections / Reviews

10/15/2025 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND