

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

October 29, 2025

[REDACTED]
RC KNICKERBOCKER, LLC
[REDACTED]
[REDACTED]

RE: KNICKERBOCKER VILLA
304 SOUTH SECOND STREET
CLEARFIELD, PA, 16830
LICENSE/COC#: 45528

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/15/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *KNICKERBOCKER VILLA* License #: *45528* License Expiration: *01/01/2026*
 Address: *304 SOUTH SECOND STREET, CLEARFIELD, PA 16830*
 County: *CLEARFIELD* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *RC KNICKERBOCKER, LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *I-1* Date: *02/25/2015* Issued By: *Clearfield Boro*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *43* Waking Staff: *32*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint, Incident* Exit Conference Date: *10/15/2025*

Inspection Dates and Department Representative

10/15/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *70* Residents Served: *30*

Secured Dementia Care Unit
 In Home: *Yes* Area: *SDCU* Capacity: *17* Residents Served: *9*

Hospice
 Current Residents: *4*

Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *29*
 Diagnosed with Mental Illness: *2* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *13* Have Physical Disability: *0*

Inspections / Reviews

10/15/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND