

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

December 11, 2025

[REDACTED]
ABODE CARE OF MONROEVILLE LLC
[REDACTED]

RE: ABODE CARE OF MONROEVILLE
2560 STROSCHEIN ROAD
MONROEVILLE, PA, 15146
LICENSE/COC#: 45119

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/16/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ABODE CARE OF MONROEVILLE **License #:** 45119 **License Expiration:** 11/14/2025
Address: 2560 STROSCHEIN ROAD, MONROEVILLE, PA 15146
County: ALLEGHENY **Region:** WESTERN

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: ABODE CARE OF MONROEVILLE LLC
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: I-2 **Date:** 06/04/2012 **Issued By:** Municipality of Monroeville

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 50 **Waking Staff:** 38

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint **Exit Conference Date:** 10/16/2025

Inspection Dates and Department Representative

10/16/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 66 **Residents Served:** 35

Secured Dementia Care Unit

In Home: No **Area:** **Capacity:** **Residents Served:**

Hospice

Current Residents: 6

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 34
Diagnosed with Mental Illness: 3 **Diagnosed with Intellectual Disability:** 1
Have Mobility Need: 15 **Have Physical Disability:** 1

Inspections / Reviews

10/16/2025 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND