

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

October 22, 2025

[REDACTED]
CONCORDIA OF MONROEVILLE
[REDACTED]

RE: CONCORDIA OF BRIDGEVILLE-
PERSONAL CARE
3570 WASHINGTON PIKE
BRIDGEVILLE, PA, 15017
LICENSE/COC#: 45589

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/20/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *CONCORDIA OF BRIDGEVILLE-PERSONAL CARE* License #: *45589* License Expiration: *05/08/2026*
Address: *3570 WASHINGTON PIKE, BRIDGEVILLE, PA 15017*
County: *ALLEGHENY* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *CONCORDIA OF MONROEVILLE*
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: Total Daily Staff: *179* Waking Staff: *134*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
Reason: *Complaint* Exit Conference Date: *10/20/2025*

Inspection Dates and Department Representative

10/20/2025 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: <i>200</i>	Residents Served: <i>129</i>		
Secured Dementia Care Unit			
In Home: <i>No</i>	Area:	Capacity:	Residents Served:
Hospice			
Current Residents: <i>9</i>			
Number of Residents Who:			
Receive Supplemental Security Income: <i>0</i>	Are 60 Years of Age or Older: <i>128</i>		
Diagnosed with Mental Illness: <i>0</i>	Diagnosed with Intellectual Disability: <i>1</i>		
Have Mobility Need: <i>50</i>	Have Physical Disability: <i>3</i>		

Inspections / Reviews

10/20/2025 Partial
Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND