

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

December 1, 2025

[REDACTED]
MENTOR ABI LLC
[REDACTED]
[REDACTED]

RE: NEURORESTORATIVE
PENNSYLVANIA
6816 WEST LAKE ROAD
FAIRVIEW, PA, 16415
LICENSE/COC#: 44710

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 10/31/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *NEURORESTORATIVE PENNSYLVANIA* License #: *44710* License Expiration: *03/19/2026*
 Address: *6816 WEST LAKE ROAD, FAIRVIEW, PA 16415*
 County: *ERIE* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *MENTOR ABI LLC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *R 3* Date: *10/02/2015* Issued By: *Fairview Township*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *7* Waking Staff: *5*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *10/31/2025*

Inspection Dates and Department Representative

10/31/2025 On Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *8* Residents Served: *7*
 Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:
 Hospice
 Current Residents: *0*
 Number of Residents Who:
 Receive Supplemental Security Income: *5* Are 60 Years of Age or Older: *0*
 Diagnosed with Mental Illness: *7* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *0* Have Physical Disability: *7*

Inspections / Reviews

10/31/2025 - Partial
 Lead Inspector: [REDACTED] Follow Up Type: *Not Required*

NO DEFICIENCIES FOUND