

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

November 25, 2025

[REDACTED]
MOON OPERATIONS, LLC
[REDACTED]
[REDACTED]

RE: HARMONY AT DIAMOND RIDGE
3301 MARKET PLACE BOULEVARD
CORAOPOLIS, PA, 15108
LICENSE/COC#: 45644

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 11/03/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: HARMONY AT DIAMOND RIDGE License #: 45644 License Expiration: 02/10/2026
 Address: 3301 MARKET PLACE BOULEVARD, CORAOPOLIS, PA 15108
 County: ALLEGHENY Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: MOON OPERATIONS, LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: I-1 Date: 08/06/2024 Issued By: Twp of Moon
 Type: I-2 Date: 08/06/2024 Issued By: Twp of Moon

Staffing Hours

Resident Support Staff: 50 Total Daily Staff: 133 Waking Staff: 100

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 11/03/2025

Inspection Dates and Department Representative

11/03/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 107 Residents Served: 52
 Secured Dementia Care Unit
 In Home: Yes Area: First Floor Capacity: 36 Residents Served: 20
 Hospice
 Current Residents: 7
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 52
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 31 Have Physical Disability: 1

Inspections / Reviews

11/03/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND