

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

December 12, 2025

[REDACTED]
CRANBERRY PLACE
[REDACTED]

ATTN:JULIE ALKSON
[REDACTED]

RE: CUMBERLAND CROSSING MANOR
1201 CUMBERLAND ROAD
PITTSBURGH, PA, 15237
LICENSE/COC#: 44616

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 12/04/2025 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: CUMBERLAND CROSSING MANOR License #: 44616 License Expiration: 06/30/2026
 Address: 1201 CUMBERLAND ROAD, PITTSBURGH, PA 15237
 County: ALLEGHENY Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: CRANBERRY PLACE
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 10/09/1998 Issued By: Dept. of Labor and Industry

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 123 Waking Staff: 92

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 12/04/2025

Inspection Dates and Department Representative

12/04/2025 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 115 Residents Served: 74
 Special Care Unit
 In Home: No Area: Capacity: Residents Served:
 Hospice
 Current Residents: 11
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 74
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 1
 Have Mobility Need: 49 Have Physical Disability: 0

Inspections / Reviews

12/04/2025 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND