

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

January 21, 2026

[REDACTED]
REDSTONE PRESBYTERIAN SENIORCARE
[REDACTED]

RE: REDSTONE HIGHLANDS
4949 CLINE HOLLOW ROAD
MURRYSVILLE, PA, 15668
LICENSE/COC#: 44338

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/08/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: REDSTONE HIGHLANDS License #: 44338 License Expiration: 06/20/2026
Address: 4949 CLINE HOLLOW ROAD, MURRYSVILLE, PA 15668
County: WESTMORELAND Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: REDSTONE PRESBYTERIAN SENIORCARE
Address: [REDACTED]
Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: Other Date: 06/10/2002 Issued By: Dept L & I

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 82 Waking Staff: 62

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
Reason: Complaint Exit Conference Date: 01/08/2026

Inspection Dates and Department Representative

01/08/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity: 58	Residents Served: 49		
Secured Dementia Care Unit			
In Home: Yes	Area: Terrace	Capacity: 20	Residents Served: 20
Hospice			
Current Residents: 12			
Number of Residents Who:			
Receive Supplemental Security Income: 0	Are 60 Years of Age or Older: 49		
Diagnosed with Mental Illness: 21	Diagnosed with Intellectual Disability: 0		
Have Mobility Need: 33	Have Physical Disability: 0		

Inspections / Reviews

01/08/2026 Partial
Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND