

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY PUBLIC

January 28, 2026

[REDACTED]  
I SAW THE LIGHT LLC  
[REDACTED]

RE: SOUTH FORK WELCOME HOME  
316 MAIN STREET  
SOUTH FORK, PA, 15956  
LICENSE/COC#: 33771

[REDACTED],  
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/09/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: SOUTH FORK WELCOME HOME License #: 33771 License Expiration: 10/04/2026  
 Address: 316 MAIN STREET, SOUTH FORK, PA 15956  
 County: CAMBRIA Region: CENTRAL

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: I SAW THE LIGHT LLC  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: C-2 LP Date: 12/20/1999 Issued By: Labor & Industry

**Staffing Hours**

Resident Support Staff: Total Daily Staff: 18 Waking Staff: 14

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Complaint Exit Conference Date: 01/09/2026

**Inspection Dates and Department Representative**

01/09/2026 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 19 Residents Served: 18  
 Secured Dementia Care Unit  
 In Home: No Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: 0  
 Number of Residents Who:  
 Receive Supplemental Security Income: 18 Are 60 Years of Age or Older: 7  
 Diagnosed with Mental Illness: 19 Diagnosed with Intellectual Disability: 4  
 Have Mobility Need: 0 Have Physical Disability: 0

**Inspections / Reviews**

01/09/2026 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND