

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY PUBLIC

February 24, 2026

[REDACTED]
RESIDENCE AT VILLAGE GREENS MANAGEMENT, LLC
[REDACTED]
[REDACTED]

RE: THE RESIDENCE AT VILLAGE
GREENS
4400 HAINES STREET
SINKING SPRING, PA, 19608
LICENSE/COC#: 23316

[REDACTED],

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/30/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: THE RESIDENCE AT VILLAGE GREENS License #: 23316 License Expiration: 04/11/2026
 Address: 4400 HAINES STREET, SINKING SPRING, PA 19608
 County: BERKS Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: RESIDENCE AT VILLAGE GREENS MANAGEMENT, LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-1 Date: 08/14/2024 Issued By: Borough of Sinking Springs

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 89 Waking Staff: 67

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 01/30/2026

Inspection Dates and Department Representative

01/30/2026 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 85 Residents Served: 59

Secured Dementia Care Unit
 In Home: Yes Area: legacy Lane Capacity: 25 Residents Served: 22

Hospice
 Current Residents: 2

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 59
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 30 Have Physical Disability: 0

Inspections / Reviews

01/30/2026 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND