

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

February 1, 2026

[REDACTED]  
THE ARBORS AT ST BARNABAS INC  
[REDACTED]  
[REDACTED]

RE: THE ARBORS AT ST BARNABAS -  
GIBSONIA  
5827 MERIDIAN ROAD  
GIBSONIA, PA, 15044  
LICENSE/COC#: 44159

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/30/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: THE ARBORS AT ST BARNABAS - GIBSONIA License #: 44159 License Expiration: 10/29/2026  
 Address: 5827 MERIDIAN ROAD, GIBSONIA, PA 15044  
 County: ALLEGHENY Region: WESTERN

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: THE ARBORS AT ST BARNABAS INC  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: I-2 Date: 05/19/2010 Issued By: Richland Township

**Staffing Hours**

Resident Support Staff: 0 Total Daily Staff: 21 Waking Staff: 16

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Complaint Exit Conference Date: 01/30/2026

**Inspection Dates and Department Representative**

01/30/2026 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 56 Residents Served: 14  
 Secured Dementia Care Unit  
 In Home: No Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: 2  
 Number of Residents Who:  
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 14  
 Diagnosed with Mental Illness: 2 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 7 Have Physical Disability: 0

**Inspections / Reviews**

01/30/2026 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND