

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

February 25, 2026

[REDACTED]
NEW CASTLE AL, LLC
[REDACTED]
[REDACTED]

RE: THE ADDISON OF CLEN-MOORE
PLACE
22 W. CLEN MOORE BOULEVARD
NEW CASTLE, PA, 16105
LICENSE/COC#: 45508

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 01/30/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: THE ADDISON OF CLEN-MOORE PLACE License #: 45508 License Expiration: 05/22/2026
 Address: 22 W. CLEN MOORE BOULEVARD, NEW CASTLE, PA 16105
 County: LAWRENCE Region: WESTERN

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: NEW CASTLE AL, LLC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 02/25/1997 Issued By: L&I

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 43 Waking Staff: 32

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Complaint Exit Conference Date: 01/30/2026

Inspection Dates and Department Representative

01/30/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 47 Residents Served: 36
 Secured Dementia Care Unit
 In Home: No Area: Capacity: Residents Served:
 Hospice
 Current Residents: 1
 Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 36
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 0
 Have Mobility Need: 7 Have Physical Disability: 0

Inspections / Reviews

01/30/2026 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND