

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

February 10, 2026

[REDACTED]  
GRAYSFUL LIVING LLC  
[REDACTED]

RE: GRAYSFUL LIVING LLC  
45 SOUTH MT. VERNON AVE.  
UNIONTOWN, PA, 15401  
LICENSE/COC#: 45642

[REDACTED],  
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 02/09/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,  
[REDACTED]

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

**Facility Information**

Name: GRAYSFUL LIVING LLC License #: 45642 License Expiration: 04/22/2026  
 Address: 45 SOUTH MT. VERNON AVE., UNIONTOWN, PA 15401  
 County: FAYETTE Region: WESTERN

**Administrator**

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

**Legal Entity**

Name: GRAYSFUL LIVING LLC  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

**Certificate(s) of Occupancy**

Type: Other Date: 05/11/1981 Issued By: Labor & Industry

**Staffing Hours**

Resident Support Staff: 0 Total Daily Staff: 14 Waking Staff: 11

**Inspection Information**

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Complaint Exit Conference Date: 02/09/2026

**Inspection Dates and Department Representative**

02/09/2026 - On-Site: [REDACTED]

**Resident Demographic Data as of Inspection Dates**

General Information  
 License Capacity: 29 Residents Served: 13  
 Secured Dementia Care Unit  
 In Home: No Area: Capacity: Residents Served:  
 Hospice  
 Current Residents: 2  
 Number of Residents Who:  
 Receive Supplemental Security Income: 12 Are 60 Years of Age or Older: 8  
 Diagnosed with Mental Illness: 13 Diagnosed with Intellectual Disability: 0  
 Have Mobility Need: 1 Have Physical Disability: 1

**Inspections / Reviews**

02/09/2026 Partial  
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND