

Department of Human Services
Office of Children, Youth and Families
Licensing Inspection Summary - Public
55 PA.CODE CHAPTER 3800

March 12, 2026

[REDACTED], COO
ADELPHOI VILLAGE, INC.
1119 VILLAGE WAY
LATROBE, PA, 15650

RE: MIDDLE CREEK II
1116 VILLAGE WAY
LATROBE, PA, 15650
LICENSE/COC#: 41101

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Office of Children, Youth and Families licensing inspections on of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]
Western Region Director

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Office of Children, Youth and Families

Agency/Facility Information

Name: MIDDLE CREEK II

License Number: 41101

Address: 1116 VILLAGE WAY, LATROBE, PA 15650

License Expiration: 06/02/2026

County: WESTMORELAND

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: ADELPHOI VILLAGE, INC.

Address: 1119 VILLAGE WAY, LATROBE, PA, 15650

Phone: [REDACTED]

Email: [REDACTED]

Inspection Information

Start Date: 02/24/2026

End Date: 02/27/2026

Type: Renewal

Notice: Announced Visit

Inspector(s):
[REDACTED]

Inspection Narrative

The Department of Human Services, Office of Children, Youth and Families, Western Region (Department) conducted an Annual Licensing Inspection of the Adelphoi Village, Inc., Middle II on 2/25/2025 through 2/28/2025 for the licensing year 6/02/25 to 6/02/26. During the inspection, the Department reviewed: 3 of 30 current/discharged children's files and all personnel files which included new and tenured employees. A physical site inspection was completed and there were no regulatory concern noted. The Licensing Inspection Summary (LIS) from last year's inspection was reviewed, and there were no citations issued.

Inspections / Reviews

02/24/2026 Renewal

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND