Department of Human Services
Office of Children, Youth and Families
Licensing Inspection Summary - Public
55 PA.CODE CHAPTER 3800

March 12, 2026

[redacted], COO
ADELPHOI VILLAGE,INC.
1119 VILLAGE WAY
LATROBE, PA, 15650

RE: MIDDLE CREEK III
1120 VILLAGE WAY
LATROBE, PA, 15650
LICENSE/COC#: 44528

Dear [redacted]

As a result of the Pennsylvania Department of Human Services, Office of Children, Youth and Families licensing inspections on of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[redacted]
Western Region Director

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Office of Children, Youth and Families

Agency/Facility Information

Name: *MIDDLE CREEK III*
Address: *1120 VILLAGE WAY, LATROBE, PA 15650*
County: *WESTMORELAND*
License Number: *44528*
License Expiration: *06/02/2026*

Administrator

Name: [redacted] **Phone**: [redacted] **Email**: [redacted]

Legal Entity

Name: *ADELPHOI VILLAGE,INC.*
Address: *1119 VILLAGE WAY, LATROBE, PA, 15650*
Phone: [redacted] **Email**: [redacted]

Inspection Information

Start Date: *02/24/2026* **End Date**: *02/27/2026* **Type**: *Renewal* **Notice**: *Announced Visit*

Inspector(s): [redacted]

Inspection Narrative

The Department of Human Services, Office of Children, Youth and Families, Western Region (Department) conducted an Annual Licensing Inspection of the Adelphoi Village, Inc., Middle Creek III on 2/25/2025 through 2/28/2025 for the licensing year 6/02/25 to 6/02/26. During the inspection, the Department reviewed: 2 of 28 current/discharged children's files and all personnel filed which included new and tenured employees. A physical site inspection was completed and there were no regulatory concerns noted. The Licensing Inspection Summary (LIS) from last year's inspection were reviewed, and there were no citations issued.

Inspections / Reviews

02/24/2026 Renewal

Lead Inspector: *Tia* [redacted] **Follow-Up Type**: *Not Required*

NO DEFICIENCIES FOUND