

Department of Human Services
Office of Children, Youth and Families
Licensing Inspection Summary - Public
55 PA.CODE CHAPTER 3800

March 12, 2026

[REDACTED], COO
ADELPHOI VILLAGE, INC.
1119 VILLAGE WAY
LATROBE,, PA, 15650

RE: MIDDLE CREEK IV
1112 VILLAGE WAY
LATROBE,, PA, 15650
LICENSE/COC#: 45443

Dear [REDACTED],

As a result of the Pennsylvania Department of Human Services, Office of Children, Youth and Families licensing inspections on of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]
Western Region Director

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Office of Children, Youth and Families

Agency/Facility Information

Name: MIDDLE CREEK IV

License Number: 45443

Address: 1112 VILLAGE WAY, LATROBE,, PA 15650

License Expiration: 06/02/2026

County: WESTMORELAND

Administrator

Name: [REDACTED]

Phone: [REDACTED]

Email: [REDACTED]

Legal Entity

Name: ADELPHOI VILLAGE, INC.

Address: 1119 VILLAGE WAY, LATROBE,, PA, 15650

Phone: [REDACTED]

Email: [REDACTED]

Inspection Information

Start Date: 02/24/2026

End Date: 02/27/2026

Type: Renewal

Notice: Announced Visit

Inspector(s):

[REDACTED]

Inspection Narrative

The Department of Human Services, Office of Children, Youth and Families, Western Region (Department) conducted an Annual Licensing Inspection of the Adelphoi Village, Inc., Middle Creek IV (Secure) on 2/24/2026 through 2/27/2026 for the licensing year 6/02/26 to 6/02/27. During the inspection, the Department reviewed: 2 of 22 current/discharged children's files and all personnel files which included new and tenured employees. A physical site inspection was completed and there were no regulatory concerns noted. The Licensing Inspection Summary (LIS) from last year's inspection was reviewed, and there were no citation issued.

Inspections / Reviews

02/24/2026 Renewal

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND