

Department of Human Services
Office of Children, Youth and Families
Licensing Inspection Summary - Public
55 PA.CODE CHAPTER 3800

March 12, 2026

[REDACTED], COO
ADELPHOI VILLAGE, INC.
1119 VILLAGE WAY
LATROBE, PA, 15650

RE: COLONY
111 CHURCH STREET
BRADENVILLE, PA, 15620
LICENSE/COC#: 45988

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Office of Children, Youth and Families licensing inspections on of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Western Region Director

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Office of Children, Youth and Families

Agency/Facility Information

Name: COLONY

License Number: 45988

Address: 111 CHURCH STREET, BRADENVILLE, PA 15620

License Expiration: 06/02/2026

County: WESTMORELAND

Administrator

Name: [REDACTED]

Phone: 7 [REDACTED]

Email: [REDACTED]

Legal Entity

Name: ADELPHOI VILLAGE, INC.

Address: 1119 VILLAGE WAY, LATROBE, PA, 15650

Phone: [REDACTED]

Email: [REDACTED]

Inspection Information

Start Date: 02/24/2026

End Date: 02/27/2026

Type: Renewal

Notice: Announced Visit

Inspector(s):

Inspection Narrative

The Department of Human Services, Office of Children, Youth and Families, Western Region (Department) conducted an Annual Licensing Inspection of the Adelphoi Village Inc., Colony on 2/24/2026 through 2/27/2026 for the licensing year 6/02/26 to 6/02/27. During the inspection, the Department reviewed: 3 of 30 current/discharged children's files and all personnel files which included new and tenured employees. A physical site inspection was completed and there were no regulatory concern noted. The Licensing Inspection Summary (LIS) from last year's inspection was reviewed, and there will be no citations issued.

Inspections / Reviews

02/24/2026 Renewal

Lead Inspector: [REDACTED]

Follow-Up Type: Not Required

NO DEFICIENCIES FOUND