

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 12, 2026

[REDACTED], PRESIDENT
ASPIRE FOR WELL-BEING
2000 CAMBRIDGE AVENUE
WYOMISSING, PA, 19610

RE: ASPIRE FOR WELL-BEING ASSISTED
LIVING
2000 CAMBRIDGE AVENUE
WYOMISSING, PA, 19610
LICENSE/COC#: 23305

Dear [REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 02/25/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *ASPIRE FOR WELL-BEING ASSISTED LIVING* License #: *23305* License Expiration: *07/23/2026*
 Address: *2000 CAMBRIDGE AVENUE, WYOMISSING, PA 19610*
 County: *BERKS* Region: *NORTHEAST*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *ASPIRE FOR WELL-BEING*
 Address: *2000 CAMBRIDGE AVENUE, WYOMISSING, PA, 19610*
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *I-2* Date: *01/21/2026* Issued By: *Wyomissing Borough*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *26* Waking Staff: *20*

Inspection Information

Type: *Full* Notice: *Announced* BHA Docket #:
 Reason: *Interim* Exit Conference Date: *02/25/2026*

Inspection Dates and Department Representative

02/25/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *49* Residents Served: *13*

Special Care Unit
 In Residence: *No* Area: Capacity: Residents Served:

Hospice
 Current Residents: *1*

Number of Residents Who:
 Receive Supplemental Security Income: *0* Are 60 Years of Age or Older: *13*
 Diagnosed with Mental Illness: *8* Diagnosed with Intellectual Disability: *1*
 Have Mobility Need: *13* Have Physical Disability: *0*

Inspections / Reviews

02/25/2026 - Full
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND