

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 19, 2026

[REDACTED]
SALISBURY BEHAVIORAL HEALTH LLC
[REDACTED]
[REDACTED]

RE: SALISBURY BEHAVIORAL HEALTH
513 LEHIGH STREET
ALLENTOWN, PA, 18103
LICENSE/COC#: 21674

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 02/26/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: SALISBURY BEHAVIORAL HEALTH **License #:** 21674 **License Expiration:** 03/26/2026
Address: 513 LEHIGH STREET, ALLENTOWN, PA 18103
County: LEHIGH **Region:** NORTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: SALISBURY BEHAVIORAL HEALTH LLC
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP **Date:** 02/15/1999 **Issued By:** L & I

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 19 **Waking Staff:** 14

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint **Exit Conference Date:** 02/26/2026

Inspection Dates and Department Representative

02/26/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 20 **Residents Served:** 19

Secured Dementia Care Unit

In Home: No **Area:** **Capacity:** **Residents Served:**

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 18 **Are 60 Years of Age or Older:** 12
Diagnosed with Mental Illness: 19 **Diagnosed with Intellectual Disability:** 2
Have Mobility Need: 0 **Have Physical Disability:** 0

Inspections / Reviews

02/26/2026 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND