

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 25, 2026

[REDACTED]
BIBLE FELLOWSHIP CHURCH HOMES INC
[REDACTED]

RE: FELLOWSHIP TERRACE
3010 FELLOWSHIP DRIVE
WHITEHALL, PA, 18052
LICENSE/COC#: 21648

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/05/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]
Human Services Licensing Supervisor

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: FELLOWSHIP TERRACE License #: 21648 License Expiration: 02/08/2027
 Address: 3010 FELLOWSHIP DRIVE, WHITEHALL, PA 18052
 County: LEHIGH Region: NORTHEAST

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: BIBLE FELLOWSHIP CHURCH HOMES INC
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: C-2 LP Date: 12/11/2000 Issued By: Dept L&I

Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 151 Waking Staff: 113

Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:
 Reason: Incident Exit Conference Date: 03/05/2026

Inspection Dates and Department Representative

03/05/2026 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: 165 Residents Served: 127

Secured Dementia Care Unit
 In Home: Yes Area: courtyard Capacity: 24 Residents Served: 23

Hospice
 Current Residents: 8

Number of Residents Who:
 Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 127
 Diagnosed with Mental Illness: 0 Diagnosed with Intellectual Disability: 1
 Have Mobility Need: 24 Have Physical Disability: 2

Inspections / Reviews

03/05/2026 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: Not Required

NO DEFICIENCIES FOUND