

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

March 11, 2026

[REDACTED]
ARDEN COURTS OF JEFFERSON HILLS PA LLC
[REDACTED]

RE: ARDEN COURTS (JEFFERSON HILLS)
380 WRAY LARGE ROAD
JEFFERSON HILLS, PA, 15025
LICENSE/COC#: 43551

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/10/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: ARDEN COURTS (JEFFERSON HILLS) **License #:** 43551 **License Expiration:** 01/25/2027
Address: 380 WRAY LARGE ROAD, JEFFERSON HILLS, PA 15025
County: ALLEGHENY **Region:** WESTERN

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: ARDEN COURTS OF JEFFERSON HILLS PA LLC
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 90 **Waking Staff:** 68

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Incident **Exit Conference Date:** 03/10/2026

Inspection Dates and Department Representative

03/10/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 60 **Residents Served:** 45

Secured Dementia Care Unit

In Home: Yes **Area:** Entire home **Capacity:** 60 **Residents Served:** 45

Hospice

Current Residents: 16

Number of Residents Who:

Receive Supplemental Security Income: 0 **Are 60 Years of Age or Older:** 45
Diagnosed with Mental Illness: 0 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 45 **Have Physical Disability:** 0

Inspections / Reviews

03/10/2026 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND