

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

April 3, 2026

[REDACTED]
JOHNSON PERSONAL CARE LLC
[REDACTED]
[REDACTED]

RE: JOHNSON PERSONAL CARE
502-504 WEST SEVENTH STREET
CHESTER, PA, 19013
LICENSE/COC#: 14366

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/12/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: JOHNSON PERSONAL CARE **License #:** 14366 **License Expiration:** 04/30/2026
Address: 502 504 WEST SEVENTH STREET, CHESTER, PA 19013
County: DELAWARE **Region:** SOUTHEAST

Administrator

Name: [REDACTED] **Phone:** [REDACTED] **Email:** [REDACTED]

Legal Entity

Name: JOHNSON PERSONAL CARE LLC
Address: [REDACTED]
Phone: [REDACTED] **Email:** [REDACTED]

Certificate(s) of Occupancy

Type: Other **Date:** 06/22/1981 **Issued By:** PA L&I

Staffing Hours

Resident Support Staff: 0 **Total Daily Staff:** 15 **Waking Staff:** 11

Inspection Information

Type: Partial **Notice:** Unannounced **BHA Docket #:**
Reason: Complaint **Exit Conference Date:** 03/12/2026

Inspection Dates and Department Representative

03/12/2026 - On-Site [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information

License Capacity: 16 **Residents Served:** 15

Secured Dementia Care Unit

In Home: No **Area:** **Capacity:** **Residents Served:**

Hospice

Current Residents: 0

Number of Residents Who:

Receive Supplemental Security Income: 12 **Are 60 Years of Age or Older:** 13
Diagnosed with Mental Illness: 15 **Diagnosed with Intellectual Disability:** 0
Have Mobility Need: 0 **Have Physical Disability:** 0

Inspections / Reviews

03/12/2026 Partial

Lead Inspector: [REDACTED] **Follow-Up Type:** Not Required

NO DEFICIENCIES FOUND