

Department of Human Services  
Bureau of Human Service Licensing  
LICENSING INSPECTION SUMMARY - PUBLIC

April 9, 2026

[REDACTED]  
ALEXANDRIA MANOR OF ALLENTOWN INC  
[REDACTED]

RE: ALEXANDRIA MANOR  
7 SOUTH NEW STREET  
NAZARETH, PA, 18064  
LICENSE/COC#: 21064

[REDACTED]

As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 03/19/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,

[REDACTED]  
Human Services Licensing Supervisor

Enclosure  
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

## Facility Information

Name: ALEXANDRIA MANOR License #: 21064 License Expiration: 03/24/2026  
 Address: 7 SOUTH NEW STREET, NAZARETH, PA 18064  
 County: NORTHAMPTON Region: NORTHEAST

## Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

## Legal Entity

Name: ALEXANDRIA MANOR OF ALLENTOWN INC  
 Address: [REDACTED]  
 Phone: [REDACTED] Email: [REDACTED]

## Certificate(s) of Occupancy

Type: C 2 LP Date: 05/17/1994 Issued By: L & I

## Staffing Hours

Resident Support Staff: 0 Total Daily Staff: 89 Waking Staff: 67

## Inspection Information

Type: Partial Notice: Unannounced BHA Docket #:  
 Reason: Incident Exit Conference Date: 03/19/2026

## Inspection Dates and Department Representative

03/19/2026 On Site [REDACTED]

## Resident Demographic Data as of Inspection Dates

## General Information

License Capacity: 93 Residents Served: 73

## Secured Dementia Care Unit

In Home: No Area: Capacity: Residents Served:

## Hospice

Current Residents: 9

## Number of Residents Who:

Receive Supplemental Security Income: 0 Are 60 Years of Age or Older: 72  
 Diagnosed with Mental Illness: 4 Diagnosed with Intellectual Disability: 3  
 Have Mobility Need: 16 Have Physical Disability: 0

## Inspections / Reviews

03/19/2026 - Partial

Lead Inspector: [REDACTED] Follow Up Type: Not Required

NO DEFICIENCIES FOUND