

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

April 24, 2026

[REDACTED]
H AND M PERSONAL CARE HOME INC
[REDACTED]
[REDACTED]

RE: H & M PERSONAL CARE HOME
590 BOGGS SCHOOL ROAD
MOON TOWNSHIP, PA, 15108
LICENSE/COC#: 44848

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/22/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *H & M PERSONAL CARE HOME* License #: *44848* License Expiration: *01/30/2027*
 Address: *590 BOGGS SCHOOL ROAD, MOON TOWNSHIP, PA 15108*
 County: *ALLEGHENY* Region: *WESTERN*

Administrator

Name: [REDACTED] Phone: [REDACTED] Email: [REDACTED]

Legal Entity

Name: *H AND M PERSONAL CARE HOME INC*
 Address: [REDACTED]
 Phone: [REDACTED] Email: [REDACTED]

Certificate(s) of Occupancy

Type: *Other* Date: *07/25/1983* Issued By: *Labor & Industry*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *17* Waking Staff: *13*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
 Reason: *Complaint* Exit Conference Date: *04/22/2026*

Inspection Dates and Department Representative

04/22/2026 - On-Site: [REDACTED]

Resident Demographic Data as of Inspection Dates

General Information
 License Capacity: *18* Residents Served: *17*

Secured Dementia Care Unit
 In Home: *No* Area: Capacity: Residents Served:

Hospice
 Current Residents: *0*

Number of Residents Who:
 Receive Supplemental Security Income: *12* Are 60 Years of Age or Older: *10*
 Diagnosed with Mental Illness: *12* Diagnosed with Intellectual Disability: *0*
 Have Mobility Need: *0* Have Physical Disability: *0*

Inspections / Reviews

04/22/2026 Partial
 Lead Inspector: [REDACTED] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND