

Department of Human Services
Bureau of Human Service Licensing
LICENSING INSPECTION SUMMARY - PUBLIC

May 14, 2026

[REDACTED]
MANOR PERSONAL CARE INC
[REDACTED]

RE: TABOR MANOR
6730 TABOR AVENUE
PHILADELPHIA, PA, 19111
LICENSE/COC#: 11698

[REDACTED],
As a result of the Pennsylvania Department of Human Services, Bureau of Human Service Licensing licensing inspections on 04/30/2026 of the above facility, no regulatory citations have been identified as a result of this inspection.

Please note that you are required to post this Licensing Inspection Summary at your facility in a conspicuous location.

Sincerely,
[REDACTED]

Enclosure
Licensing Inspection Summary (LIS)

cc: Pennsylvania Bureau of Human Service Licensing

Facility Information

Name: *TABOR MANOR* License #: *11698* License Expiration: *11/30/2026*
Address: *6730 TABOR AVENUE, PHILADELPHIA, PA 19111*
County: *PHILADELPHIA* Region: *SOUTHEAST*

Administrator

Name: [Redacted] Phone: [Redacted] Email: [Redacted]

Legal Entity

Name: *MANOR PERSONAL CARE INC*
Address: [Redacted]
Phone: [Redacted] Email: [Redacted]

Certificate(s) of Occupancy

Type: *Other* Date: *12/01/1971* Issued By: *City of Phila L&I*

Staffing Hours

Resident Support Staff: *0* Total Daily Staff: *49* Waking Staff: *37*

Inspection Information

Type: *Partial* Notice: *Unannounced* BHA Docket #:
Reason: *Monitoring* Exit Conference Date: *04/30/2026*

Inspection Dates and Department Representative

04/30/2026 - On-Site [Redacted]

Resident Demographic Data as of Inspection Dates

General Information			
License Capacity:	<i>51</i>	Residents Served:	<i>49</i>
Secured Dementia Care Unit			
In Home:	<i>No</i>	Area:	
Capacity:		Residents Served:	
Hospice			
Current Residents:	<i>0</i>		
Number of Residents Who:			
Receive Supplemental Security Income:	<i>33</i>	Are 60 Years of Age or Older:	<i>36</i>
Diagnosed with Mental Illness:	<i>40</i>	Diagnosed with Intellectual Disability:	<i>0</i>
Have Mobility Need:	<i>0</i>	Have Physical Disability:	<i>0</i>

Inspections / Reviews

04/30/2026 *Partial*
Lead Inspector: [Redacted] Follow-Up Type: *Not Required*

NO DEFICIENCIES FOUND